## Family Caregivers, Patients and Physicians: Ethical Guidance to Optimize Relationships

Sheryl Mitnick, RN, MPH<sup>1</sup>, Cathy Leffler, JD, and Virginia L. Hood, MBBS, MPH, FACP <sup>2,3</sup>

\_\_\_\_\_

hopes of fostering mutually supportive patient-physiciancaregiver partnerships and stimulating further research.

## DEVELOPMENT PROCESS

An initial draft of a statement developed by the ACP Center for Ethics and Professionalism staff and members of the ACP Ethics, Professionalism an d Human Rights Committee was discussed and subsequent revisions were made through December 2007. The draft underw ent internal review by the ACP Board of Governors and ACP Councils, followed by external peer review. The paper was revised and then approved by the ACP Board of Regents in 2008. The statement was endorsed by ten medical professional societies: Society of General Internal Medicine, American Academy should be part of routine preventive medical services with every adult patient. Patients generally wait for the physician to initiate advance care planning discussions. <sup>22</sup> Physicians must always be sensitive to cultural and family values, and should respect family approaches to decision-making where applicable. <sup>23</sup> Declining health and advanced age mark important opportunities to solicit decision-making preferences, discuss health care values with the patient and family and allow all to gain a deeper understanding of beliefs and goals. This dialogue will better prepare the clinician and caregiver for decision making in the event it becomes neaog

pn.

ialorn.5-Tv454r324563c2.(448n)25i [(h-1r)8(0r)15.6rk45eTi5(s)22.00-61h4.7(n)]TJ 31106TD 0[2p5.-(a)2t-414.-4-32eete1l5.-(a)2ie8-33em-41p [(f523.6-41w16(me.6-324.8°

available, research suggests that these caregivers face additional burdens. <sup>45</sup> In addition to measures that support all caregivers (e.g., reassurance that the health care team wants to achieve what is best for the patient; providing clear information on the patient 's condition, prognosis and care plan; establishing a communication plan for keeping the caregiver informed), the phy sician should identify the patient 's local support system, and make referrals for service 45 Learning Collaborative, American Medical Group Association with support from Daiichi Sankyo. No other conflicts of interest were disclosed.

Corresponding Author: Sheryl Mitnick, RN, MPH, Center for Ethics and Professionalism, American College of Physicians,

care to patients who lack decision-making capacity. Ann Intern Med. 1999;130:835 -40.

- American Academy of Hospice and Palliative Medicine. Definition of Palliative Care. Available at http://www.aahpm.org/positions/definition. html . Accessed November 11, 2009.
- 48. United States Department of Health and Human Services. Centers for

Copyright of JGIM: Journal of General Internal Medicine is the property of Springer Science & Business Media B.V. and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.